

Automatic Nail Polish Filling & Capping Machine



Model TN-24L-1C is an automatic machine designed for nail polish filling and capping production.

Feature

- Rotating cap with servo motor to precise torque control
- Filling under pressure and vacuum system to ensure filling height

Standard Specifications

Model No	TN-24L-1C
Production type	Rotary
Output capacity/hr	2400
Control Type	Servo & air
No. of nozzle	1
No. of working station	24
Vessel volume	30L/set
Display	PLC
No. of operator	1~2
Power consumption	2kw
Dimension	1.0×0.9×1.6m
Weight	400kg
Air input	6-8 kgf

Automatic Double Nozzles Filling Machine



Model TL-50L-2-2A is an automatic double-nozzle hot filling machine designed for quantitative filling for lipsticks and other cream products in circle or square components.

Feature

- Two nozzles filling simultaneously
- Quantitative filling through piston pushed by ball screw system and servo system
- Quantitative filling parameter shall be set and memorized in PLC

Standard Specifications

Model No	TL-50L-2-2A
Production type	Linear
Output capacity/hr	Min1500
Control Type	Servo & air
No. of nozzle	2
Vessel volume	50L/set
Display	PLC
No. of operator	1
Power consumption	25kw
Dimension	2.52×1.7×2.3m
Weight	1700kg
Air input	6-8 kgf

Automatic Double-swirl Filling Machine



Model TL-15C-2S is an automatic machine designed for production of double swirl lipgloss

Feature

- Filling on rotary turntable
- Filling system controlled by servo motor and piston
- Rotary controlled by servo motor
- Godet remove from tooling automatically after hot filling
- Tank suitable for filling and hot filling

Standard Specifications

Model No	TL-15C-2S
Production type	Rotary
Output capacity/hr	Min 1800
Control Type	Servo & air
No. of nozzle	2
No. of working station	16
Vessel volume	25L/set
Display	PLC
No. of operator	1
Power consumption	12kw
Dimension	1.3×0.85×1.75m
Weight	250kg
Air input	4-6 kgf
Option	Tank

Multi Colors Powder Back Filling and Pressing Machine



Model TPL-04S is an automatic back filling and pressing machine designed for production of multi-color cake and eyeshadow

Feature

- Filling on rotary turntable and pressed production
- Servo motor control and adjust press powder force
- Filling part is operated in single machine and controlled by servo motor and piston

Standard Specifications

Model No	TPL-04S
Output capacity/min	25
Maximum Pressure	3T
Maximum godet	60mm
No. of operator	1
Power consumption	4kw
Dimension	1.7×1.05×1.6m
Weight	300kg
Air input	4-6 kgf

**FULLY AUTOMATIC SILICONE MOLD LIPSTICK FILLING &PACKING MACHINE
TZ-25LCS-10A**




Model TZ-25LCS-10A is a fully automatic lipstick molding &packing machine designed for the production of silicone molding process lipstick,engraved lipstick,lip pencil

Target products

- silicone mold lipstick
- silicone mold cosmetic pencil
- mat lipstick ,pencil
- engrave lipstick ,pencil



Mold



Standard Specifications

Model No	TZ-25LCS-10A
Production type	Linear
Output capacity/hr	50pcs/min
Control Type	Servo&air
No. of nozzle	10
Rubber hole(pcs)	10
Total holder need	30
Vessel volume	25L/set*2set
Display	PLC
No. of operator	1
Power consumption	7kw
Dimension	7.5×1.5×1.8 m
Weight	2Tons
Air input	4-6 kgf
Option	Screw downer

AUTOMATIC LIPSTICK MOULD FILLING MACHINE

TZ-25L2-10A





Model TZ-25L2-10A is an automatic lipstick molding machine designed for the production of lipsticks, lip balm, and other hot pour products by molding.

Target products

- silicone mold lipstick, lip balm .
- silicone mold cosmetic pencil
- aluminum mold lipstick



Mold



Standard Specifications

Model No	TZ-25L2-10A
Production type	Linear
Output capacity/hr	3000
Control Type	Servo & air
No. of nozzle	10
Rubber hole(pcs)	10
Total holder need	30
Vessel volume	25L/set*2set
Display	PLC
No. of operator	1
Power consumption	5kw
Dimension	2.5×1.5×1.8 m
Weight	500kg
Air input	4-6 kgf
Option	Private silicone mold

AUTOMATIC TUNNEL TYPE FREEZER TC-5P



Model TC-5P is an automatic cooling machine designed for the production of hot filling/pouring

Feature

- . Design for two tunnel with 2-4 station(option) and frost moving
- . Stainless steel 304 frame
- . Temp control by digital T.I.C
- . Conveyor speed and cooling temp controlled according to the type of product

Standard Specifications

Model No	TC-5P
Production type	Linear
Efficient cooling area	1200*2000mm
Control Type	Servo & air
Temperature range	-20~ 0° C
Refrigerant	R-404a
Display	Digital
No. of operator	0
Power consumption	5kw
Dimension	2.5×1.5×1.5 m
Weight	300kg
Air input	4-6 kgf
Option	Private silicone mold

AUTOMATIC LIPSTICK /PENCIL RELEASING MACHINE

TS-10A



Model TS-10A is an automatic lipstick/pencil releasing machine designed for the production of soft rubber lipsticks, lip balm.


Target products

- Silicone molding lipstick, pencil, lip balm



Mold

- silicone mold
- plastic tube holder



Standard Specifications

Model No	TS-10A
Production type	Linear
Output capacity/hr	3000
Control Type	Servo&air
Total holder need	30
Display	PLC
No. of operator	1
Power consumption	5kw
Dimension	2.5×1.2×1.7 m
Weight	500kg
Air input	4-6 kgf

SEMI AUTOMATIC LIPSTICK/LIP BALM RELEASING MACHINE

TS-10




Model TS-10 is a semi automatic lipstick release molding machine designed for the production of lipsticks/lip balm.

Target products

- silicone mold lipstick ,lip balm,pencil

Mold

- silicone mold
- plastic tube holder



Standard Specifications

Model No	TS-10
Production type	Linear
Output capacity/hr	1200
Control Type	Pneumatic
No. of operator	1
Power consumption	0.5 kw
Dimension	0.65×0.52×1.5m
Weight	70kg
Air input	4-6 kgf

FULL AUTOMATIC COSMETIC PENCIL FILLING MACHINE
T-PENCIL FILL 10A



The model T-PENCIL FILL 10A is a full automatic production line design for the product of plastic pencil ,and other back filling pencil .

Target product:

·Cosmetic Pencil



mold

·aluminum mold




Standard Specifications

Model No	T-PENCIL FILL-10A
Production type	Linear
Output capacity/hr	50pcs/min
Control Type	Servo&air
No. of nozzle	10
Total holder need	30
Vessel volume	25L/set*3set
Display	PLC
No. of operator	1
Power consumption	10kw
Dimension	7.5×1.5×1.8 m
Weight	2Tons
Air input	4-6 kgf
Option	Aluminum Mold

FULLY AUTOMATIC COSMETIC PENCIL FILLING MACHINE

TPF-10A



Model TPF-10A is a fully automatic aluminum molding machine designed for the production of cosmetic pencil .

Target products

- cosmetic pencil



Mold

- Aluminum mold



Standard Specifications

Model No	TPF-10A
Production type	Linear
Output capacity/hr	3000
Control Type	Servo&air
No. of nozzle	10
Total holder need	30
Vessel volume	25L/set*2set
Display	PLC
No. of operator	1
Power consumption	7kw
Dimension	2.5×1.5×1.8 m
Weight	500kg
Air input	4-6 kgf
Option	Aluminum mold

Model TZ-25L1-12A is a full automatic hot filling machine designed for the production of lipstick, plastic pencil and other back filling products.



Specification

Target products

Lipstick, lip balm


Plastic pencil

Back filling products



Mold (options)

- Aluminum mold for pencil and lipstick
- Nylon holder for mascara&lip gloss bottles



Capacity

Output dependent on the type of the products

Features

25L capacity with stirrer and heating

Servo motor controlled dosing pump

Dosing volume and pump speed controlled by digital input, Accuracy +/-0.5%

Filling unit designed for easy strip-down cleaning and re-assembly to facilitate quick change over

Servo controlled mold raise /lower system

No operator

Parameters

Voltage	AC220V/50Hz 5KW
Weight	600kg
Body material	T651+SUS304
Dimensions	1500*1050*2000

SINGLE NOZZLE HEAD FILLING MACHINE TL-25L01



Model TL-25L01 is a automatic filling machine designed for the production of godet and bottles filling product,lipstick,lip balm,eyeliner ,liquid powder,and other hot pour products.

Target products

- godet lipstick/lip balm
- godet liquid powder
- bottles eye liner



Standard Specifications

Model No	TL-25L01
Output capacity/hr	2400
Filling Type	Gear pump
No. of nozzle	1
Vessel volume	25L/set
Display	PLC
No. of operator	1
Power consumption	2.5kw
Dimension	0.5×0.7×1.7m
Weight	100kg
Air input	4-6 kgf
Option	Cooling machine

FULL AUTOMATIC MASCARA & LIP GLOSS FILLING MACHINE



Model TM-12-1A is an full automatic filling machine designed for the production of mascara ,lip gloss .

Target products

- Mascara
- Lip gloss



Mold

- Nylon holder (suit for different size of the bottles)

Standard Specifications

Model No	TM-12-1A
Production type	Rotary
Output capacity/hr	3000
Control Type	Cam&air
No. of nozzle	1
No.of holder	12
Vessel volume	30L/set
Display	PLC
No. of operator	1
Power consumption	2kw
Dimension	1.5×2.5×1.8m
Weight	600kg
Air input	4-6 kgf
Option	Tank

MASCARA & LIP GLOSS FILLING AND CAPPING MACHINE



Model **TM-12-1** is an semi-automatic filling and capping machine design for the production of lip gloss and mascara

Target product

- lip gloss , mascara



Mold

- Nylon holder(according to the diameter of bottle)

Standard Specifications

Model No	TM-12-1
Production type	Rotary
Output capacity/hr	2000
Control Type	Cam & air
No. of nozzle	1
No.of holder	12
Vessel volume	30L/set
Display	PLC
No. of operator	2-3
Power consumption	2kw
Dimension	1.2 × 1.05 × 1.4m
Weight	150kg
Air input	4-6 kgf
Option	Tank

SINGLE NOZZLE HEAD FILLING MACHINE TL-01



Model TL-01 is a simple filling machine designed for the production of mascara, lip gloss, and etc

Target products

- Mascara ,lip gloss and etc



Standard Specifications

Model No	TL-01
Output capacity/hr	800
Filling Type	Piston
No. of nozzle	1
Vessel volume	30L/set
Display	PLC
No. of operator	1
Power consumption	2kw
Dimension	0.8×0.7×1.4m
Weight	100kg
Air input	4-6 kgf
Option	Tank

AUTOMATIC COSMETIC POWDER PULVERIZER TP-P7.5P



Model TP-P7.5P is an automatic cosmetic powder disintegrator (pulverizer) designed for the crushing of raw material of eye shadow, blush, two way cake, and baking powder.

Target products

- Raw material of eye shadow, blush, two way cake, and baking powder



Standard Specifications

Model No	TP-P7.5P
Output capacity/hr	35kg
Filling Type	Screw
Crushing type	Alloy knife
Vessel volume	150L
Speed of alloy knife	6000 rev/min
Minimum mesh	100
Cooling Type	Cycling water
No. of operator	1
Power consumption	7.5kw
Dimension	1.1×1.0×1.7m
Weight	350kg
Air input	4-6 kgf
Option	Sieve

AUTOMATIC ROTARY PRESSED POWDER MACHINE

Model TP-8-01A is an automatic cosmetic pressed powder machine designed for the production of compact cake, eye shadow, blush and so on.



Target products

Cosmetic powder product such as compact cake, eye shadow, blush

Standard Specifications

Model No	TP-8-01A
Production type	Rotary
Output capacity/hour	750-1200pcs
Maximum godet	68mm
Pressing type	Servo
Holder number	8
Vessel volume	10L
No. of operator	1
Power consumption	2kw
Dimension	1.6x1.7x2.0m
Weight	750kg
Air input	6-8 kg/cm2

TENZ Electromechanical Co.,Ltd

LAB SCALE COSMETIC PRESSED POWDER MACHINE

Model TPS-S01A is a semi automatic cosmetic powder machine designed for the production of two way cake, compacts, eye shadow and so on.



Target products

Cosmetic powder product such as two way cake, compacts, eyeshadow, baking powder

Mould (options)

Stainless steel mould

Capacity: Output dependent on color, number of cavity on mould, bulk formulation and shape of godet

5-15 godets/min.(1 cavity) 20-35 godets/min (2 cavity)

Features

Small size, pressure is controlled by servo motor; HMI set pressure

Parameters

Power consumption	0.5kw
Max pressure	1500kg
Weight	150kg
Dimensions	400*300*700mm

LAB SCALE COSMETIC PRESSED POWDER MACHINE
TP-S10



Model TP-S10 is a semi automatic cosmetic powder machine designed for the production of two way cake, compacts, eye shadow and so on.


Target products

- two way cake, compacts, eyeshadow, baking powder blush.



Mold

- stainless steel mold



Godet

- aluminum godet, plastic godet
- ceramic godet



Standard Specifications

Model No	TP-S01
Output capacity/min	8PCS
Control Type	Hydraulic
No. of operator	1
Power consumption	0.5 kw
Dimension	0.4×0.3×0.7m
Weight	150kg
The max pressure	150kgf

COSMETIC BAKED POWDER EXTRUSION MACHINE TP-B-10L-P



Model TP-B-10L-P is an automatic cosmetic baked powder extrusion machine designed for the production of baked powder

Target products



godet

- ceramic godet
- plastic godet



mold



Standard Specifications

Model No	TP-B-10L-P
Output capacity/min	30-40godet
Filling Type	Screw & pressing
Quantitative Type	Length of material
Vessel volume	10L
Maximum godet	80mm
No. of operator	1
Power consumption	2.5kw
Dimension	1.1×1.0×1.9m
Weight	150kg
Air input	4-6 kgf
Option	Discharge head

COSMETIC BAKED POWDER PRESSING MACHINE TP-B-01



Model TP-B-01 is an automatic cosmetic baked powder pressing machine designed for the production of baked powder, such as eye shadow, blush and so on.

Target products



Godet



Standard Specifications

Model No	TP-B-01
Output capacity/min	15-20pcs
Pressing Type	Hydraulic
Maximum pressure	150kg
Maximum godet	65mm
No. of operator	1
Power consumption	1.5kw
Dimension	1.0×1.0×1.7m
Weight	250kg
Air input	4-6 kgf
Option	Pressing head& star wheel

SEMI-AUTOMATIC COSMETIC POWDER SURFACE CLEANING MACHINE TP-B-100




Model TP-B-100 is a semi automatic cosmetic pressed powder surface (convex surface) cleaning machine designed for the production of eye shadow, baked powder

Target products



Mold and Knife



Standard Specifications

Model No	TP-B-100
Output capacity/min	10-15
Production Type	Servo
Maximum godet	65mm
No. of operator	1
Power consumption	1kw
Dimension	0.9×0.5×1.5m
Weight	150kg
Air input	4-6 kgf
Option	Scrapping knife